



›THIS IS THE WAY

›THIS IS NORTEL™

Product Bulletin

Nortel VPN Router 1000 Series

Delivering security for the Internet


The rise of the Internet provides enterprises with a unique opportunity to realize cost savings in their internal and external communications. But the Internet was not designed with security in mind. Enterprises with mission-critical Internet applications must secure the data they transmit, as well as protect their internal networks from outside intrusion. The Nortel VPN Router 1000 series (formerly known as Contivity* 1000 series) is a cost-effective solution delivering secure, comprehensive IP services either in standalone mode or in conjunction with an existing router or Internet access device.



Nortel VPN Router 1010



Nortel VPN Router 1050



Nortel VPN Router 1100

The Nortel VPN Router 1000 series of Nortel VPN Routers (formerly known as Contivity Secure IP Services Gateways) is the answer to enterprises requiring low-cost connectivity across the Internet or managed IP networks. Designed for small sites, the Nortel VPN Router 1000 portfolio provides IP routing, Virtual Private Networking (VPN), stateful firewall, encryption, authentication and bandwidth management services in a single integrated platform.

Consisting of three separate models, the Nortel VPN Router 1000 series provides options for small sites seeking Internet connectivity, either for secure VPN communications or for basic IP/Internet access. With options that include integrated WAN port and 4-port Ethernet switch capability, the Nortel VPN Router 1000 series is a cost-effective, all-in-one solution for small office/home office environments. Its advanced routing options and built-in VPN capabilities make it ideal either for site-to-site or remote access VPN applications, or for simple Internet connectivity.

Serving the price-sensitive, small-user segment of the secure IP services market, the Nortel VPN Router 1000 series can be installed in a variety of scenarios. Medium to large businesses can deploy the Nortel VPN Router 1000 series as a small branch solution connecting back to their headquarters-based

data center. Alternatively, the Nortel VPN Router 1000 can form the basis of a site-to-site solution within an enterprise or across enterprises in either a hub-and-spoke or small mesh configuration. In addition, the Nortel VPN Router 1000 can serve as an affordable headquarters solution for a small business needing Internet access and/or secure IP services.

Low total cost of ownership

With its low-cost and integrated design, the Nortel VPN Router 1000 is an affordable solution for enterprises. A single multi-service device can address what used to require multiple discrete devices (e.g., router, VPN gateway, firewall) to solve. Further, new IP services can be added without costly hardware upgrades. A flexible software licensing scheme allows Nortel VPN Router to be initially installed as a secure IP access device and later add more VPN tunnel capacity, advanced routing or firewall services via a software license — all while avoiding on-site visits from a service technician.

Security by design

Built on the same Secure Routing Technology (SRT) framework found in the rest of the Nortel VPN Router product line, the Nortel VPN Router 1000 series is designed with security inherent to its operation. SRT integrates the major functional components of the Nortel VPN Router — such as management, access, routing and policies — weaving a consistent security structure across these services. This provides scalability and high performance even when running multiple IP services in the same device. SRT also enables key features, such as dynamic

routing (RIP/OSPF) over secure IPSec tunnels, common user security policies across VPN, firewall and routing services, and the ability to turn up new IP services on demand without impacting overall performance.

Further, as a market leader in IP Virtual Private Networking (IP VPN), the Nortel VPN Router has been delivering on the promise of secure end-to-end VPNs for years. IP VPN capabilities are embedded into every Nortel VPN Router 1000 unit.

Flexible IP services

As a standards-based solution, the Nortel VPN Router 1000 can interoperate with existing routing, authentication, directory and security systems and can bridge the transition of new IP services. It can be deployed as an Internet access device, secure VPN gateway or firewall solution and can easily be upgraded with additional services. Advanced routing software enables the Nortel VPN Router to interoperate with any existing router infrastructure. And support for LDAP, RADIUS and X.509 digital certificates enables the

Nortel VPN Router to interoperate with existing authentication and/or directory systems.

Easy installation and management

Each Nortel VPN Router 1000 unit has a built-in wizard allowing plug-and-play installation. The wizard automatically connects the Nortel VPN Router 1000 unit to a predefined location for remote configuration and set-up, avoiding costly technician calls to each site.

With the same software and management as higher-end Nortel VPN Router devices, the Nortel VPN Router 1000 series offers a comprehensive management suite. This includes Web-based and command-line based configuration interfaces, SNMP and accounting capabilities via a powerful set of security and system logging tools. The Nortel VPN Router Multi-Element Manager (formerly known as Contivity Configuration Manager [CCM]) further provides centralized configuration solutions for up to 2,500 Nortel VPN Router devices.

Key Nortel VPN Router 1000 series —	
Features	Benefits
Installation Wizard	Plug-and-play installation out of the box for simple small branch set-up. No technician or “truck roll” is needed.
Modular WAN I/O	Can act as primary WAN router either as a replacement of existing solution or as new routing/VPN deployment.
Dial back-up support	Dial back-up if “primary” Internet (IP) connection goes away or more bandwidth is needed.
Advanced routing	OSPF, VRRP and bandwidth management services allow customers to design robust, high-performance and highly available VPN networks that can scale.
PPPoE Client, DHCP server, DNS proxy and NAT support	Allows for seamless IP VPN deployment behind broadband services — such as DSL — with seamless inter-working with dynamic ISP Internet connectivity.
Extensive VPN and security capabilities	Broad support for both branch and remote access VPNs, flexible internal/external authentication options, full PKI support, wire-speed encryption (AES, 3DES) and stateful firewall, DoS protection.
4-port 10/100 Ethernet switch option	No need for an Ethernet switch or hub in small office/home office.
QoS and bandwidth management	Fine grain QoS ensures mission-critical data traffic and/or delay-sensitive voice traffic gets the appropriate level of service for business communications.
Stateful Packet Firewall	Low-cost, high-performance firewall license allows the Nortel VPN Router 1000 to provide firewall function rather than purchasing a separate standalone box.

Key benefits:

- > Low total cost of ownership
- > Security by design
- > Flexible, secure IP services
- > Easy installation and management

Technical specifications — features and capabilities

Nortel VPN Router Services — 1010, 1050, 1100

Routing and network addressing	<ul style="list-style-type: none">• RIPv1, v2, Open Shortest Path First (OSPF), Virtual Router Redundancy Protocol (VRRP)• PPP over Ethernet (PPPoE), DHCP Client and Server, Domain Name Services (DNS) with VPN, DNS Proxy
VPN tunneling protocols	<ul style="list-style-type: none">• IPSec, including authentication header (AH), encapsulating security protocol (ESP) and Internet key exchange (IKE)• Point-to-point tunneling protocol (PPTP), including compression and encryption• Layer 2 Tunneling Protocol (L2TP), including L2TP/IPSec
Encryption	<ul style="list-style-type: none">• IPSec-certified by the TruSecure (International Computer Security Association (ICSA)• DES, 3DES, AES, RC4• MD5 and SHA-1 authentication• 3DES uses 3 independent 56-bit keys; 168-bit key length (effective strength of 128 bits)
WAN protocols and services	<ul style="list-style-type: none">• Point-to-Point Protocol (PPP)• Frame relay• ADSL with support for PPP and PPoE over ATM• Dial back-up via integral V.90 modem, ISDN, or over management/console port with external modem/ISDN terminal adapter
Bandwidth management	<ul style="list-style-type: none">• Group and user-level configurable minimum bandwidth settings• Eight forward priority queues• DiffServ (Differentiated Services) with code point marking• Mapping between DSCP (Differentiated Services Code Point) and 802.1p• Multi-level Random Early Detection (MRED)• Resource Reservation Protocol (RSVP)
Authentication services	<ul style="list-style-type: none">• User name and password and NT Domains Login• Internal or external lightweight directory access protocol (LDAP)• Remote authentication dial-in user services (RADIUS)• Hard and soft token support (SecureID and AXENT)• X.509 Digital Certificates and Smart Cards (support for all major vendors and MS-CAPI)
Data compression	<ul style="list-style-type: none">• Lemple-Ziv Standard (LZS) compression
Accounting	<ul style="list-style-type: none">• Internal and external RADIUS accounting• Event, system, security, and configuration accounting• Automatic archiving to external system
Management	<ul style="list-style-type: none">• Nortel VPN Router Multi-Element Manager provides multi-box provisioning for up to 2,500 VPN Router devices• Full Web browser-based HTML configuration• Nortel Networks Command Line Interface (NNCLI)• SNMP monitoring and alerts• Easy Install tool for plug-and-play installation
Stateful Firewall	<ul style="list-style-type: none">• Multi-layered stateful packet inspection at wire speed with over 100 application layer gateways (ALGs), including TCP, UDP, FTP, HTTP, H.323, RealAudio, Java, and Active X• Defense against major “hacker” attacks, including DOS, SYN flood, Smurf, Ping, Spoofing, Fraggle, ICMP unreachable• Proxy authentication, extensive NAT support• Extensive and customizable logging options
Nortel VPN Client (formerly known as Contivity VPN Client)	<ul style="list-style-type: none">• IPSec (DES, AES, 3DES encryption)• Microsoft Windows 95, 98, 2000, ME, NT and XP based client (free/unlimited)• IBM-AIX, SUN-Solaris, HP-UX, Linux, Macintosh, Pocket PC via software license
Certifications	<ul style="list-style-type: none">• ICSA (International Computer Security Association) certification (IPSec)• Virtual Private Network Consortium (VPNC) Basic Conformance Testing (IPSec)

Technical specifications — physical and operational

	Nortel VPN Router 1010 Up to 30 tunnels	Nortel VPN Router 1050 Up to 30 tunnels	Nortel VPN Router 1100 Up to 30 tunnels
Components	<ul style="list-style-type: none"> • Memory: 128 MB RAM; 64MB Flash • 300 MHz processor • LAN/WAN interfaces: <ul style="list-style-type: none"> – 2 10/100BaseT Ethernet ports (RJ-45) – Management/console port (DB-9) • Software: <ul style="list-style-type: none"> – Nortel VPN Router O/S with 5 tunnels and RIPv2 routing – Nortel VPN Router VPN Client software for MS-Windows with unlimited distribution license • <i>Optional licenses</i> <ul style="list-style-type: none"> – Nortel VPN Router VPN upgrade to 30 VPN tunnels – Nortel VPN Router Stateful Firewall – Nortel VPN Router Advanced Routing (OSPF, VRRP, bandwidth management) – Nortel VPN Router Multi-OS VPN Client for MAC and UNIX – Data Link Switching (DLSw) • Nortel CD and on-line HTML documentation 	<ul style="list-style-type: none"> • Memory: 128 MB RAM; 64MB Flash • 300 MHz processor • LAN/WAN interfaces: <ul style="list-style-type: none"> – 1 10/100BaseT Ethernet (RJ-45) – 4-port 10/100 Ethernet switch (RJ-45) – Management/console port (DB-9) • Software: <ul style="list-style-type: none"> – Nortel VPN Router O/S with 5 tunnels and RIPv2 routing – Nortel VPN Router VPN Client software for MS-Windows with unlimited distribution license • <i>Optional licenses</i> <ul style="list-style-type: none"> – Nortel VPN Router VPN upgrade to 30 VPN tunnels – Nortel VPN Router Stateful Firewall – Nortel VPN Router Advanced Routing (OSPF, VRRP, bandwidth management) – Nortel VPN Router Multi-OS VPN Client for MAC and UNIX – Data Link Switching (DLSw) • Nortel CD and on-line HTML documentation 	<ul style="list-style-type: none"> • Memory: 128 MB RAM; 64MB Flash • 300 MHz processor • Two PCI expansion slots • LAN/WAN interfaces: <ul style="list-style-type: none"> – <i>Standard</i> <ul style="list-style-type: none"> – 1 10/100BaseT Ethernet (RJ-45) – 4-port 10/100 Ethernet switch (RJ-45) – Management/console port (DB-9) – <i>Optional</i> <ul style="list-style-type: none"> – Additional 10/100BaseT Ethernet – Single-port V.35/X.21 – T1/E1 w/integrated CSU/DSU – ISDN BR1 S/T and U interfaces – 56/64K CSU/DSU – ADSL – V.90 dial modem • Software: <ul style="list-style-type: none"> – <i>Standard</i> <ul style="list-style-type: none"> – Nortel VPN Router O/S with 5 tunnels and RIPv2 routing – Nortel VPN Router VPN Client software for MS-Windows with unlimited distribution license – <i>Optional licenses</i> <ul style="list-style-type: none"> – Nortel VPN Router VPN upgrade to 30 VPN tunnels – Nortel VPN Router Stateful Firewall – Nortel VPN Router Advanced Routing (OSPF, VRRP, bandwidth management) – Nortel VPN Router Multi-OS VPN Client for MAC and UNIX – Data Link Switching (DLSw) • Nortel CD and on-line HTML documentation
Physical	Length: 8 in. (20.3 cm) Width: 8.5 in. (21.6 cm) Height: 1.75 in. (4.4 cm) Weight: 2.65 lb (1.2 kg)	Length: 8 in. (20.3 cm) Width: 8.5 in. (21.6 cm) Height: 1.75 in. (4.4 cm) Weight: 2.75 lb (1.25 kg)	Length: 10.5 in. (26.7 cm) Width: 8.5 in. (21.6 cm) Height: 1.75 in. (4.4 cm) Weight: 3.8 lb (1.7 kg)
Operating environment	Electrical: 10-240 VAC, 1.5A, 50-60 Hz Temperature: 32-122° Fahrenheit (0-50° Celsius) Relative humidity: 10%-90% non-condensing	Electrical: 10-240 VAC, 1.5A, 50-60 Hz Temperature: 32-122° Fahrenheit (0-50° Celsius) Relative humidity: 10%-90% non-condensing	Electrical: 10-240 VAC, 1.5A, 50-60 Hz Temperature: 32-122° Fahrenheit (0-50° Celsius) Relative humidity: 10%-90% non-condensing

Nortel is a recognized leader in delivering communications capabilities that enhance the human experience, ignite and power global commerce, and secure and protect the world's most critical information. Serving both service provider and enterprise customers, Nortel delivers innovative technology solutions encompassing end-to-end broadband, Voice over IP, multimedia services and applications, and wireless broadband designed to help people solve the world's greatest challenges. Nortel does business in more than 150 countries. For more information, visit Nortel on the Web at www.nortel.com.

For more information, contact your Nortel representative, or call 1-800-4 NORTEL or 1-800-466-7835 from anywhere in North America.

This is the Way. This is Nortel, Nortel, the Nortel logo, the Globemark and Contivity are trademarks of Nortel Networks. All other trademarks are the property of their owners.

Copyright © 2005 Nortel Networks. All rights reserved. Information in this document is subject to change without notice. Nortel assumes no responsibility for any errors that may appear in this document.



In the United States:

Nortel, 35 Davis Drive
Research Triangle Park, NC 27709 USA

In Canada:

Nortel, 8200 Dixie Road, Suite 100
Brampton, Ontario L6T 5P6 Canada

In Caribbean and Latin America:

Nortel
1500 Concorde Terrace
Sunrise, FL 33323 USA

In Europe:

Nortel
Maidenhead Office Park, Westacott Way
Maidenhead Berkshire SL6 3QH UK

In Asia Pacific:

Nortel
Nortel Networks Centre, 1 Innovation Drive
Macquarie University Research Park Macquarie
Park, NSW 2109 Australia
Tel +61 2 8870 5000

In Greater China:

Nortel
Sun Dong An Plaza, 138 Wang Fu Jing Street
Beijing 100006, China
Phone: (86) 10 6510 8000