

›THIS IS THE WAY

›THIS IS NORTTEL™



Product Brief

VPN Router at a glance...

VPN Router 200 Series

The VPN Router 200 Series (formerly known as Contivity* 200 Series VPN Switches) provides low cost secure connectivity to the Internet or managed IP networks, designed for telecommuters and small offices/ home offices.

- Applications include VPN, stateful firewall, URL/content filtering and optional integrated ADSL in a compact, easy to manage platform
- Full inspection firewall with up to 50 rules, denial of service protection, logging, and email alerts to prevent unwanted network intrusions
- Integrated 4-port 10/100 Ethernet Switch allows direct connection of user PCs and LAN devices
- Has PPPoE, DHCP, DNS, and NAT support to simplify internet deployment and broadband DSL connections
- Hard Client mode allows a device to simulate a VPN client, simplifying management set-up and aiding larger scale deployments.

VPN Router 600

The VPN Router 600 (formerly known as Contivity 600 Secure IP Services Gateway) supports centralized management via a secure, encrypted Internet tunnel, which can extend secure VPN remote access to locations needing up to 50 tunnels.

- Can serve as a hub or spoke in small VPNs, or as a basis for mesh extranets
- Offers complete site-to-multi-site VPN features in a compact, low cost desktop package
- Functionalities include: IP routing, IPSec tunneling, stateful firewall protection, authentication and encryption

VPN Router 1000 Series (Includes VPN Router 1010/1050 and VPN Router 1100)

The VPN Router (formerly known as Contivity 1000 Series Secure IP Services Gateways) is ideally suited to the small, home or branch office. The inbuilt IP access router, VPN switch and firewall functionalities ensure it can assume different roles in enterprise and carrier networks.

- Supports up to 30 tunnels, which makes it ideal for bringing all branch offices and partner locations into one secure network
- Offers high-end software and administration in a small low-cost package
- Supports centralized management via a secure, encrypted Internet tunnel
- Functionality evolution is flexible by licensing

VPN Router 1700 Series (Includes the VPN Router 1700 and 1740)

The VPN Router 1700 Series (formerly known as Contivity 1700 Series Secure IP Services Gateway) is the cost effective, all-in-one solution for medium and large enterprise branch office sites, supporting up to several hundred users.

- Can adapt to different roles in enterprise and carrier IP networks: IP access router, VPN switch, firewall, encryption, Quality of Service and bandwidth management services
- Supports up to VPN 500 tunnels
- Embedded Secure Routing Technology provides scalability and high performance even when running multiple IP services on the same device
- Easy installation and management
- Full SSL VPN functionality via installable module

VPN Router 2700

The VPN Router 2700 (formerly known as Contivity 2700 Secure IP Services Gateway) is today's router for today's medium to large businesses which can provide up to 2000 tunnels to securely connect workers from all locations.

- Can serve multiple roles: IP access router, VPN switch, firewall and more
- Supports centralized management
- Quality of Service and bandwidth manage-

ment prioritizes mission-critical data traffic for business communications.

- Full SSL VPN functionality via installable module

VPN Router 5000

The VPN Router 5000 (formerly known as Contivity 5000 Secure IP Services Gateway) is the next generation platform providing up to 5000 VPN tunnels to securely connect branch offices and remote workers to headquarters.

- Adapts to different roles of VPN gateway, firewall, and IP access router
- Supports dynamic routing and load balancing for tunnelled and non-tunnelled traffic
- Provides full hardware redundancy – dual disks, processors, power supplies for high reliability
- Standard encryption accelerator hardware can support a second encryption accelerator to further boost VPN throughput
- Full SSL VPN functionality via installable module

Management

All VPN routers can be managed through the VPN Router Multi-Element Manager (formerly known as Contivity Configuration Manager). This is a multi-element manager that addresses the network administrator's need to provision and maintain VPN Router devices within their network.

Features and Benefits

- Centralized provisioning of up to 2500 VPN Router devices
- Automated VPN Router device changes and updates
- Easy to use single view management
- Work-flow wizards simplify configuration
- Software image and license management
- Audit logging of all changes for security and archival purposes

Series	VPN Router 221	VPN Router 251	VPN Router 600	VPN Router 10X0	VPN Router 1100	VPN Router 1700	VPN Router 1740	VPN Router 2700	VPN Router 5000
Memory	16 MB RAM ; 4MB Flash	16 MB RAM; 4MB Flash	128 MB	128 MB RAM; 64 MB Flash	128 MB RAM; 64 MB Flash	Standard: 128 MB Maximum: 256 MB	Standard: 128 MB Maximum: 256 MB	Standard: 256 MB Maximum: 512 MB	Standard: 512 MB Maximum: 1.5 GB
Processor	100 MHz MIPS	166 MHz ARM	300 MHz Celeron	300 MHz Celeron	300 MHz Celeron	850 MHz Pentium III	850 MHz Pentium III	1.33 GHz Pentium III	Dual 2.2 GHz Intel Xeon Processors
PCI Expansion Slots	No	No	1	No	2	1	3 (VPN Bundle) 4 (Secure Router Bundle)	3	5
Max 3DES throughput	4.5 Mbps	4.5 Mbps	20 Mbps	20 Mbps	20 Mbps	100 Mbps	100 Mbps	200 Mbps	375 Mbps (450 Mbps for AES)
Standard Equipment									
10/100 BaseT Ethernet Ports	No	No	2	2	2	2	2 (VPN Bundle) 1 (Secure Router Bundle)	2	1
10/100 Ethernet Switch	4-port	4-port	No	1050 - 4-ports 1010 - No	4-ports	No	No	No	No
Management Console Port (DB-9)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
VPN Tunnels	Up to 5	Up to 5	Up to 50	Up to 30	Up to 30	Up to 500	Up to 500	Up to 2000	Up to 5000
Dual redundant, auto switching power supply system with dual line cards	No	No	No	No	No	No	No	No	Yes
Dual redundant storage system	No	No	No	No	No	No	No	No	Yes
LAN/WAN options									
Additional 10/100BaseT Ethernet	No	No	Yes – 1 port	No	Yes – 2 ports	Yes – 1 port	Yes – 3 ports	Yes – 3 ports	Yes ¹ - 5 ports
1000Base SX /T (GigE) Ethernet	No	No	No	No	No	No	Yes	Yes	Yes ²
T1/E1 with CSU/DSU	No	No	Yes	No	Yes	Up to 4	Up to 4	Up to 4	Up to 4
V.90 Dial Modem	No	No	Yes	No	Yes	Yes	Yes	Yes	Yes
ISDN BRI (S/T and U Interfaces)	No	No	Yes	No	Yes	Yes	Yes	Yes	Yes
ADSL	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
V.35/X.21/RS-232 Serial	No	No	Yes	No	Yes	Yes	Yes	Yes	Yes
56/64K CSU/DSU	No	No	Yes	No	Yes	Yes	Yes	Yes	Yes
High Speed Serial Interface (HSSI)	No	No	No	No	No	Yes	Yes	Yes	Yes
SSL VPN Module	No	No	No	No	No	No	Yes	Yes	Yes
Encryption accelerator card	No	No	No	No	No	Yes	Yes	Yes	Yes ³
Competitor Products⁴									
Branch Office	Cisco 831	Cisco 837	Cisco 1700; 1800	Cisco 1800	Cisco 1800	Cisco 2600; 2800	Cisco 2600; 2800	Cisco 2800; 3600; 3800	Cisco 7000; 3800
Remote Access Solutions	Cisco 3005	Cisco 3005	Cisco 3030	Cisco 3030	Cisco 3030	Cisco 3080	Cisco 3600	Cisco 3700	Cisco 7200
Firewalls	Cisco 501X	Cisco 501X	Cisco 506E	Cisco 506E	Cisco 506E	Cisco 515E	Cisco 515E	Cisco 525; 535	Cisco 535

¹ & ² Both come as part of standard equipment, however, there is a choice between an additional 10/100BaseT Ethernet OR 1000Base SX/T (GigE) Ethernet

³ There is already 1 encryption accelerator card integrated, however, there is the option to add another one

⁴ Please use as a guideline

Technical Specifications

Nortel VPN Routers – models 600, 1010, 1050, 1100, 1700, 1740, 2700 and 5000

IP routing and network addressing	<ul style="list-style-type: none"> • RIPv1, v2 • Open Shortest Path First (OSPF) • 802.1Q VLAN routing • Virtual Router Redundancy Protocol (VRRP) • Data Link Switching (DLSw); SNA encapsulation within IP (SNA LLC2 and SDLC connectivity) • DHCP Client and Server • Domain Name Services (DNS) with VPN, DNS Proxy
VPN tunneling protocols	<ul style="list-style-type: none"> • IPsec, including authentication header (AH), encapsulating security protocol (ES) and Internet key exchange (IKE) • Point-to-point tunneling protocol (PPTP), including compression and encryption • Layer 2 Tunneling Protocol (L2TP), including L2TP/IPsec • L2F • Secure Sockets Layer (SSL) v2.0, 3.0 and Transport Layer Security (TLS) with SSL VPN Module
Encryption	<ul style="list-style-type: none"> • Data Encryption Standard (DES) • Triple DES (3DES) using 3 independent 56-bit keys; 168-bit key length (effective strength of 128 bits) • Advanced Encryption Standard (AES); 128-bit and 256-bit versions • RC4
User authentication services	<ul style="list-style-type: none"> • X.509 Digital Certificates and Smart Cards (support for all major vendors and MS-CAPI) • Remote authentication dial-in user services (RADIUS) • Hard and soft token support (e.g., SecureID and AXENT) • User name and password and NT Domain Login • Internal or external lightweight directory access protocol (LDAP)
WAN protocols and services	<ul style="list-style-type: none"> • Point-to-Point Protocol (PPP); including PPP over Ethernet (PPPoE) • Frame relay • ADSL (G.DMT, G.Lite, ANSI T1.413) with support for PPP and PPPoE over ATM • Dial back-up via integral V.90 modem, ISDN, or through management/console port with external modem/ISDN terminal Adapter
Bandwidth management; QoS	<ul style="list-style-type: none"> • User and group-level configurable minimum bandwidth settings • Eight forwarding priority queues • DiffServ (Differentiated Services) with code point marking • Mapping between DSCP (Differentiated Services Code Point) and 802.1p • Multi-level Random Early Detection (MRED) • Resource Reservation Protocol (RSVP)
Data compression	<ul style="list-style-type: none"> • IPComp (RFC 2393) for encrypted and non-encrypted traffic
Accounting	<ul style="list-style-type: none"> • Event, system, security and configuration logging • Internal and external RADIUS accounting • Automatic archiving to external system
Management	<ul style="list-style-type: none"> • Nortel VPN Router Multi-Element Manager provides multi-box provisioning for up to 2,500 Nortel VPN Router devices • Full Web browser-based HTML configuration • Nortel Command Line Interface • SNMP monitoring and alerts • Three levels of administrator access; role-based management to separate service provider and end-user
Stateful firewall	<ul style="list-style-type: none"> • Multi-layers stateful packet inspection supporting over 100 network application protocols, including TCP, UDP, FTP, HTTP, H.323, RealAudio, Java and ActiveX • Defense against major “hacker” attacks, including DOS, SYN flood, Smurf, Ping, Spoofing, Fraggle and ICMP unreachable • Extensive and customizable logging options • NAT, Proxy and end-user authentication • Unlimited firewall users and policies for tunneled and non-tunneled traffic
Nortel VPN Client	<ul style="list-style-type: none"> • IPsec (with DES, 3DES and AES encryption) • Microsoft Windows 95, 98, 2000, ME, NT and XP based clients (free/unlimited) • Macintosh, IBM-AIX, SUN-Solaris, HP-UX, Linux and Pocket PC (via software license) • Palm and Windows CE devices supported via third-party license
End-Point Security	<ul style="list-style-type: none"> • Tunnel Guard enforces corporate security policies such as anti-virus, personal firewalls, any application (eg. patch management) and third party API support.
SSL VPN	<ul style="list-style-type: none"> • Support for up to 1000 secure Web browser sessions (with SSL VPN Module) • Access from Microsoft Internet Explorer, Netscape Navigator and Mozilla browsers • Universal Access Portal provides transparent IPsec or SSL single sign-on by end-users • Authentication via RADIUS, LDAP, X.509 certificates • Auto-logout and cache-cleaning of files and history
Certifications	<ul style="list-style-type: none"> • ICSA (International Computer Security Association) certification (IPsec) • FIPS 140-2 (Federal Information Processing Standard for Security) • Virtual Private Network Consortium (VPNC) Basic Conformance Testing (IPsec)

In the United States:

Nortel
35 Davis Drive
Research Triangle Park, NC 27709
USA

In Europe:

Nortel
Maidenhead Office Park, Westacott
Way
Maidenhead Berkshire SL6 3QH
UK

In Canada:

Nortel
8200 Dixie Road, Suite 100
Brampton, Ontario L6T 5P6
Canada

In Asia Pacific:

Nortel Centre
1 Innovation Drive
Macquarie University Research Park
Macquarie Park NSW 2109 Australia

In Caribbean and Latin America:

Nortel
1500 Concorde
Terrace
Sunrise, FL 33323
USA

In Greater China:

Nortel
Sun Dong An Plaza
138 Wang Fu Jing Street
Beijing 100006,
China

Nortel is a recognized leader in delivering communications capabilities that enhance the human experience, ignite and power global commerce, and secure and protect the world's most critical information. Serving both service provider and enterprise customers, Nortel delivers innovative technology solutions encompassing end-to-end broadband, Voice over IP, multimedia services and applications, and wireless broadband designed to help people solve the world's greatest challenges. Nortel does business in more than 150 countries. For more information, visit Nortel on the Web at www.nortel.com.

This is the Way. This is Nortel, Nortel, the Nortel logo, and the Globemark and Contivity are trademarks of Nortel Networks. All other trademarks are the property of their owners.

Copyright ©2005 Nortel Networks. All rights reserved. Information in this document is subject to change without notice. Nortel assumes no responsibility for any errors that may appear in this document. Produced by Asia Pacific Enterprise Channel Strategy and Marketing Services.

